



Digital Night Vision Monocular



HIKMICRO HEIMDAL H4D Digital Night Vision Monocular has a 1.39 inch AMOLED screen, which offers clear, smooth and vivid images and videos even on the move. Its built-in 850nm infrared illuminator enables clear viewing with up to 200 m detection range from dawn to complete darkness for 24/7 use. The monocular is perfect for various outdoor activities, including hiking, camping, birdwatching, watching wildlife and scenery, sports, concerts, etc.

Key Features

- 2560 × 1440 high-definition sensor
- 454 × 454 resolution 1.39-inch AMOLED display
- Supports Day/Night /Auto/ Defog mode
- Built-in 850nm IR emitter
- Support Smart IR, EIS, Local album etc
- Support video recording and snapshot, built-in EMMC (32 GB)
- Detection range up to 200 m
- Replaceable and rechargeable battery

Specification


| OPTICAL MODULE | |
|--|---|
| MAX. RESOLUTION | 2560 × 1440 |
| FRAME FREQUENCY | 25 fps |
| APERTURE | F1.2 |
| FOCAL LENGTH | 31 mm |
| FOCUS MODE | Manual focus |
| DETECTION RANGE | 200 m (with IR 850 nm 0N) |
| FIELD OF VIEW (H × V), DEGREES/M @100 M | 13.66° × 7.71°/23.95 m × 13.48 m |
| DIGITAL ZOOM | 1×, 2×, 4×, 8× |
| IR SUPPLEMENT LIGHT | Adjustable beam angle; Smart IR |
| IMAGE DISPLAY | |
| DISPLAY | 1.39 inch, AMOLED display, 454 × 454 |
| FRAME FREQUENCY | 50 fps |
| IMAGE MODE | Day/Night/Auto/Defog mode |
| BRIGHTNESS ADJUSTMENT | YES |
| CONTRAST ADJUSTMENT | YES |
| WHITE BALANCE ADJUSTMENT | YES. Auto white balance adjustment |
| ELECTRIC IMAGE STABILIZATION | YES |
| SYSTEM | |
| CAPTURE SNAPSHOT | YES (2560 × 1440, JPEG) |
| RECORD VIDEO | YES (2560 × 1440, MP4) |
| AUDIO RECORDING | YES |
| STANDBY MODE | YES |
| STORAGE | Built-in EMMC (32 GB) |
| MULTIPLE LANGUAGE | YES |
| START UP TIME | Standby mode: < 1 s Non standby mode: < 7 s |
| HOTSPOT | YES |
| LOCAL ALBUM | YES |
| POWER SUPPLY | |
| BATTERY TYPE | Replaceable and Rechargeable Li-ion Battery |


| BATTERY OPERATING TIME | > 4 h (under default working conditions) |
|------------------------|--|
| TYPE-C POWER SUPPLY | 5 VDC, Type-C interface |
| GENERAL | |
| WORKING TEMPERATURE | -20°C to 50°C (-4°F to 122°F) |
| WORKING HUMIDITY | ≤ 95% |
| STORAGE TEMPERATURE | -40°C to 70°C (-40°F to 158°F) |
| PROTECTION LEVEL | IP67 |
| DIMENSION | 153 mm × 50 mm × 80 mm |
| WEIGHT | 375 g |

Available Model

HM-TS1C-31Q/WV-H4D

Dimension





Unit: mm [Inch]

Accessories



Quick Start Guide (×1)



Non-dust Cloth (×1)



USB Cable (x1)



Protective Bag (×1)



Wrist Strap (x1)



Battery (×1)





























